



# 648

OMEGA 648 "Smokeless" Hi-Temp Chain Lubricant

## "Smokeless" Hi-Temp Chain Lubricant

- *Specially formulated high-tech blend of extremely stable synthetic fluids.*
- *Non-carbonizing even when used at elevated temperatures for extended periods.*
- *Ideal for high-cleanliness & high-temperature applications.*

TRUST Save Money  
OMEGA Enhance Performance  
TO Extend Service Life

MAGNA INDUSTRIAL CO. LIMITED  
Total Quality Maintenance

## SPECIAL FEATURES

**Omega 648 "Smokeless" Hi-Temp Chain Lubricant** has been quality engineered and extensively tested to meet the ever-increasing demands of modern chain systems.

- **Omega 648** is a specially formulated high-tech blend of extremely stable low-evaporation synthetic fluids.
- **Omega 648** is non-carbonizing even when used at elevated temperatures for extended periods
- **Omega 648** is ideal for high-cleanliness and high-temperature applications.

## OUTSTANDING PROPERTIES

**Omega 648** is the "smokeless" high-temperature chain lubricant that:


- Has an unsurpassed "stay-in-place" property to ensure consistent, long-lasting, high-adhesion "wet" lubrication to chains and conveyors.
- Contains absolutely no silicones or solid lubricants.
- Will not form hard lacquers or hard residues that can build up and block vital oilways.
- Eliminates the need for continuous lubrication – has low evaporation loss and a high level of corrosion protection.

## USE FOR

**Omega 648** is especially suited for applications that require a clean production environment, such as drying and finishing in the textile industry and paint work curing in the automotive and electronics industry.

Use **Omega 648** for:

- Tenter Frames • Kiln Chains • Food Baking Oven Chains
- Metal Heat Treatment Oven Chains • High-Temperature Tunnels • Dryers • Shrink Wrap Machines • Textile Auxiliaries
- Steel, Plastic and Woodworking Processes.



**Omega**

*The Ultimate Lubricant*

*Magna Industrial reserves the right to modify or change this product for purposes of improving its performance characteristics.*

© 2010 Magna Industrial Co. Limited.

The Omega trade mark is the property of ITW, Inc., and is used under licence by Magna Industrial Co. Limited

**MAGNA INDUSTRIAL CO. LIMITED**  
Total Quality Maintenance

The information contained in this publication supersedes all relevant information previously released and is to the best of our knowledge and accurate at the time of issue on 5 October, 2010.